

*The company reserves the right to amend these pack details - please check before ordering.*

<b>Maximum carton weight 12.5Kg</b> (except lead truck weights = 20Kg)	<b>Half pallet</b>	<b>Full pallet</b>
<b>Pallet size 1200 x 800mm</b> (euro pallet)	<b>Pallet height</b>	<b>450mm</b>
	<b>750mm</b>	
<b>Full pallet = 60 cartons</b> (6 layers of 10 cartons)	<b>Max pallet weight</b>	<b>415Kg</b>
		<b>805Kg</b>

SIZE g	PART NUMBER	BOX QTY	BOXES PER CARTON	CARTON QUANTITY	CARTON WEIGHT Kg	PALLET QUANTITY			
						Half pallet		Full pallet	
						30 cartons	Kg	60 cartons	Kg

**SERIES 200 Universal for steel wheels**

5	200X-005-TX00	100	14	1400	7.0	42000	240	84000	450
10	200X-010-TX00	100	7	700	7.0	21000	240	42000	450
15	200X-015-TX00	100	7	700	10.5	21000	345	42000	660
20	200X-020-TX00	100	5	500	10.0	15000	330	30000	630
25	200X-025-TX00	100	5	500	12.5	15000	405	30000	780
30	200X-030-TX00	100	4	400	12.0	12000	390	24000	750
35	200X-035-TX50	50	5	250	8.8	7500	293	15000	555
40	200X-040-TX50	50	5	250	10.0	7500	330	15000	630
45	200X-045-TX50	50	5	250	11.3	7500	368	15000	705
50	200X-050-TX50	50	4	200	10.0	6000	330	12000	630
55	200X-055-TX50	50	4	200	11.0	6000	360	12000	690
60	200X-060-TX50	50	4	200	12.0	6000	390	12000	750

**SERIES 200C Universal for steel wheels - with corrosion protection**

5	200C-005-TX00	100	14	1400	7.0	42000	240	84000	450
10	200C-010-TX00	100	7	700	7.0	21000	240	42000	450
15	200C-015-TX00	100	7	700	10.5	21000	345	42000	660
20	200C-020-TX00	100	5	500	10.0	15000	330	30000	630
25	200C-025-TX00	100	5	500	12.5	15000	405	30000	780
30	200C-030-TX00	100	4	400	12.0	12000	390	24000	750
35	200C-035-TX50	50	5	250	8.8	7500	293	15000	555
40	200C-040-TX50	50	5	250	10.0	7500	330	15000	630
45	200C-045-TX50	50	5	250	11.3	7500	368	15000	705
50	200C-050-TX50	50	4	200	10.0	6000	330	12000	630
55	200C-055-TX50	50	4	200	11.0	6000	360	12000	690
60	200C-060-TX50	50	4	200	12.0	6000	390	12000	750

**SERIES 222C Thin section steel wheels - plastic coated (Original Equipment for Ford)**

5	222C-005-TX25	25	14	350	1.8	10500	83	21000	135
10	222C-010-TX25	25	14	350	3.5	10500	135	21000	240
15	222C-015-TX25	25	14	350	5.3	10500	188	21000	345
20	222C-020-TX25	25	14	350	7.0	10500	240	21000	450
25	222C-025-TX25	25	14	350	8.8	10500	293	21000	555
30	222C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	222C-035-TX25	25	7	175	6.1	5250	214	10500	398
40	222C-040-TX25	25	7	175	7.0	5250	240	10500	450
45	222C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	222C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	222C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	222C-060-TX25	25	7	175	10.5	5250	345	10500	660

SIZE g	PART NUMBER	BOX QTY	BOXES PER CARTON	CARTON QUANTITY	CARTON WEIGHT Kg	PALLET QUANTITY			
						Half pallet		Full pallet	
						30 cartons	Kg	60 cartons	Kg

**SERIES 324C High retention cam-backed weight for alloy wheels - plastic coated**  
(Original Equipment for Ford)

5	324C-005-TX25	25	14	350	1.8	10500	83	21000	135
10	324C-010-TX25	25	14	350	3.5	10500	135	21000	240
15	324C-015-TX25	25	14	350	5.3	10500	188	21000	345
20	324C-020-TX25	25	14	350	7.0	10500	240	21000	450
25	324C-025-TX25	25	14	350	8.8	10500	293	21000	555
30	324C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	324C-035-TX25	25	7	175	6.1	5250	214	10500	398
40	324C-040-TX25	25	7	175	7.0	5250	240	10500	450
45	324C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	324C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	324C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	324C-060-TX25	25	7	175	10.5	5250	345	10500	660

**SERIES 326 Universal weight for alloy wheels**

5	326X-005-TX00	100	14	1400	7.0	42000	240	84000	450
10	326X-010-TX00	100	7	700	7.0	21000	240	42000	450
15	326X-015-TX00	100	7	700	10.5	21000	345	42000	660
20	326X-020-TX00	100	5	500	10.0	15000	330	30000	630
25	326X-025-TX00	100	5	500	12.5	15000	405	30000	780
30	326X-030-TX00	100	4	400	12.0	12000	390	24000	750
35	326X-035-TX50	50	5	250	8.8	7500	293	15000	555
40	326X-040-TX50	50	5	250	10.0	7500	330	15000	630
45	326X-045-TX50	50	5	250	11.3	7500	368	15000	705
50	326X-050-TX50	50	4	200	10.0	6000	330	12000	630
55	326X-055-TX50	50	4	200	11.0	6000	360	12000	690
60	326X-060-TX50	50	4	200	12.0	6000	390	12000	750

**SERIES 326C Universal weight for alloy wheels - plastic coated**  
(Original Equipment for Volvo)

5	326C-005-TX00	100	14	1400	7.0	42000	240	84000	450
10	326C-010-TX00	100	7	700	7.0	21000	240	42000	450
15	326C-015--TX00	100	7	700	10.5	21000	345	42000	660
20	326C-020-TX00	100	5	500	10.0	15000	330	30000	630
25	326C-025-TX00	100	5	500	12.5	15000	405	30000	780
30	326C-030-TX00	100	4	400	12.0	12000	390	24000	750
35	326C-035-TX50	50	5	250	8.8	7500	293	15000	555
40	326C-040-TX50	50	5	250	10.0	7500	330	15000	630
45	326C-045-TX50	50	5	250	11.3	7500	368	15000	705
50	326C-050-TX50	50	4	200	10.0	6000	330	12000	630
55	326C-055-TX50	50	4	200	11.0	6000	360	12000	690
60	326C-060-TX50	50	4	200	12.0	6000	390	12000	750

**SERIES 328C Universal weight for alloy wheels - plastic coated**  
(Original Equipment for Renault)

30	328C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	328C-035-TX25	25	7	175	6.1	5250	214	10500	398
40	328C-040-TX25	25	7	175	7.0	5250	240	10500	450
45	328C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	328C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	328C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	328C-060-TX25	25	7	175	10.5	5250	345	10500	660

SIZE g	PART NUMBER	BOX QTY	BOXES PER CARTON	CARTON QUANTITY	CARTON WEIGHT Kg	PALLET QUANTITY			
						Half pallet		Full pallet	
						30 cartons	Kg	60 cartons	Kg

**SERIES 326C - BOXED 25 Universal weight for alloy wheels - plastic coated**

5	326C-005-025	25	14	350	1.8	10500	83	21000	135
10	326C-010-025	25	14	350	3.5	10500	135	21000	240
15	326C-015-025	25	14	350	5.3	10500	188	21000	345
20	326C-020-025	25	14	350	7.0	10500	240	21000	450
25	326C-025-025	25	14	350	8.8	10500	293	21000	555
30	326C-030-025	25	14	350	10.5	10500	345	21000	660
35	326C-035-025	25	7	175	6.1	5250	214	10500	398
40	326C-040-025	25	7	175	7.0	5250	240	10500	450
45	326C-045-025	25	7	175	7.9	5250	266	10500	503
50	326C-050-025	25	7	175	8.8	5250	293	10500	555
55	326C-055-025	25	7	175	9.6	5250	319	10500	608
60	326C-060-025	25	7	175	10.5	5250	345	10500	660

**SERIES 340C - BOXED 25 Japanese alloy wheels - plastic coated**

10	340C-010-025	25	14	350	3.5	10500	135	21000	240
15	340C-015-025	25	14	350	5.3	10500	188	21000	345
20	340C-020-025	25	14	350	7.0	10500	240	21000	450
25	340C-025-025	25	14	350	8.8	10500	293	21000	555
30	340C-030-025	25	14	350	10.5	10500	345	21000	660
35	340C-035-025	25	7	175	6.1	5250	214	10500	398
40	340C-040-025	25	7	175	7.0	5250	240	10500	450
45	340C-045-025	25	7	175	7.9	5250	266	10500	503
50	340C-050-025	25	7	175	8.8	5250	293	10500	555

**STEEL CLIP-ON WEIGHTS**

**SERIES 150C TRAX-LOK™ for Steel wheels - plastic coated**

5	150C-005-TX00	100	14	1400	7.0	42000	240	84000	450
10	150C-010-TX00	100	7	700	7.0	21000	240	42000	450
15	150C-015--TX00	100	7	700	10.5	21000	345	42000	660
20	150C-020-TX00	100	5	500	10.0	15000	330	30000	630
25	150C-025-TX00	100	5	500	12.5	15000	405	30000	780
30	150C-030-TX00	100	4	400	12.0	12000	390	24000	750
35	150C-035-TX50	50	5	250	8.8	7500	293	15000	555
40	150C-040-TX50	50	5	250	10.0	7500	330	15000	630
45	150C-045-TX50	50	5	250	11.3	7500	368	15000	705
50	150C-050-TX50	50	4	200	10.0	6000	330	12000	630

**SERIES 710C plastic coated**

5	710C-005-TX00	100	14	1400	7.0	42000	240	84000	450
10	710C-010-TX00	100	7	700	7.0	21000	240	42000	450
15	710C-015--TX00	100	7	700	10.5	21000	345	42000	660
20	710C-020-TX00	100	5	500	10.0	15000	330	30000	630
25	710C-025-TX00	100	5	500	12.5	15000	405	30000	780
30	710C-030-TX00	100	4	400	12.0	12000	390	24000	750
35	710C-035-TX50	50	5	250	8.8	7500	293	15000	555
40	710C-040-TX50	50	5	250	10.0	7500	330	15000	630
45	710C-045-TX50	50	5	250	11.3	7500	368	15000	705
50	710C-050-TX50	50	4	200	10.0	6000	330	12000	630

**ADHESIVE WEIGHTS - 80 CARTONS PER PALLET = 16,000 PIECES**

<b>SERIES 605E Slimline STEEL adhesive weight 60g 3.8 high x 20mm wide - aftermarket</b>							
60	605E-060-TX50	200	(4 x packs of 50 strips)	12.0		16000	980
<b>SERIES 610EC Slimline STEEL adhesive weight 60g 3.8 high x 20mm wide - aftermarket</b>							
60	610E-060-TX50	200	(4 x packs of 50 strips)	12.0		16000	980
<b>SERIES 611M Slimline STEEL adhesive weight 60g 3.8 high x 20mm wide (Original Equipment Ford Mondeo/Galaxy/S Max)</b>							
60	611M-060-TX50	200	(4 x packs of 50 strips)	12.0		16000	980
<b>SERIES 615C Slimline STEEL adhesive weight 60g 3.8 high x 20mm wide PLASTIC COATED</b>							
60	615C-060-TX50	200	(4 x packs of 50 strips)	12.0		16000	980
<b>SERIES 620C Extra Slimline STEEL adhesive weight 40g 2.8 high x 19mm wide PLASTIC COATED</b>							
40	620C-040-TX50	200	(4 x packs of 50 strips)	8.0		16000	640
<b>SERIES 630E Standard STEEL adhesive weight 60g 4.8 high x 15mm wide</b>							
60	630E-060-TX50	200	(4 x packs of 50 strips)	12.0		16000	980
<b>SERIES 635C Black STEEL adhesive weight 60g 4.8 high x 15mm wide PLASTIC COATED</b>							
60	635C-060-TX50	200	(4 x packs of 50 strips)	12.0		16000	980
<b>SERIES 605 STEEL Roll adhesive weight 5g X 1000 pcs 4.8 high x 15mm wide</b>							
60	635C-060-TX50	200	(4 x packs of 50 strips)	5.0		120	600

**Example packaging - Part numbers 605E/610E/615E**



Trax box of 50 strips



200 strips per carton (4 boxes)



Easy to handle carton - 12Kg

**Rolls packaging**



SIZE g	PART NUMBER	BOX QTY	BOXES PER CARTON	CARTON QUANTITY	CARTON WEIGHT Kg	PALLET QUANTITY			
						Half pallet		Full pallet	
						30 cartons	Kg	60 cartons	Kg

**SERIES 650C Steel adhesive weight - coated (Original Equipment - Land Rover)**

**6.8mm high x 20mm wide**

5	650C-005-TX25	25	14	350	1.8	10500	83	21000	135
10	650C-010-TX25	25	14	350	3.5	10500	135	21000	240
15	650C-015-TX25	25	14	350	5.3	10500	188	21000	345
20	650C-020-TX25	25	14	350	7.0	10500	240	21000	450
25	650C-025-TX25	25	14	350	8.8	10500	293	21000	555
30	650C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	650C-035-TX25	25	14	350	12.3	10500	398	21000	765
40	650C-040-TX25	25	14	350	14.0	10500	450	21000	870
45	650C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	650C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	650C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	650C-060-TX25	25	7	175	10.5	5250	345	10500	660
65	650C-065-TX25	25	7	175	11.4	5250	371	10500	713
70	650C-070-TX25	25	7	175	12.3	5250	398	10500	765
80	650C-075-TX25	25	7	175	14.0	5250	450	10500	870
85	650C-080-TX25	25	7	175	14.9	5250	476	10500	923
90	650C-085-TX25	25	7	175	15.8	5250	503	10500	975
95	650C-090-TX25	25	7	175	16.6	5250	529	10500	1028
100	650C-100-TX25	25	7	175	17.5	5250	555	10500	1080

**SERIES 660C Steel adhesive weight - coated**

**4.8mm high x 15mm wide**

5	660C-005-TX25	25	14	350	1.8	10500	83	21000	135
10	660C-010-TX25	25	14	350	3.5	10500	135	21000	240
15	660C-015-TX25	25	14	350	5.3	10500	188	21000	345
20	660C-020-TX25	25	14	350	7.0	10500	240	21000	450
25	660C-025-TX25	25	14	350	8.8	10500	293	21000	555
30	660C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	660C-035-TX25	25	14	350	12.3	10500	398	21000	765
40	660C-040-TX25	25	14	350	14.0	10500	450	21000	870
45	660C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	660C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	660C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	660C-060-TX25	25	7	175	10.5	5250	345	10500	660
65	660C-065-TX25	25	7	175	11.4	5250	371	10500	713
70	660C-070-TX25	25	7	175	12.3	5250	398	10500	765
75	660C-075-TX25	25	7	175	13.1	5250	424	10500	818
80	660C-080-TX25	25	7	175	14.0	5250	450	10500	870

**SERIES 670C Steel adhesive weight - coated (Original Equipment - Volvo)**

**3.8mm high x 20mm wide**

5	670C-005-TX25	25	14	350	1.8	10500	83	21000	135
10	670C-010-TX25	25	14	350	3.5	10500	135	21000	240
15	670C-015-TX25	25	14	350	5.3	10500	188	21000	345
20	670C-020-TX25	25	14	350	7.0	10500	240	21000	450
25	670C-025-TX25	25	14	350	8.8	10500	293	21000	555
30	670C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	670C-035-TX25	25	14	350	12.3	10500	398	21000	765
40	670C-040-TX25	25	14	350	14.0	10500	450	21000	870
45	670C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	670C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	670C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	670C-060-TX25	25	7	175	10.5	5250	345	10500	660

SIZE g	PART NUMBER	BOX QTY	BOXES PER CARTON	CARTON QUANTITY	CARTON WEIGHT Kg	PALLET QUANTITY			
						Half pallet		Full pallet	
						30 cartons	Kg	60 cartons	Kg
<b>SERIES 840C Heavy duty car wheels &amp; light truck (below 3.5 tonnes). Plastic coated</b>									
10	840C-010-TX25	25	14	350	3.5	10500	135	21000	240
15	840C-015-TX25	25	14	350	5.3	10500	188	21000	345
20	840C-020-TX25	25	14	350	7.0	10500	240	21000	450
25	840C-025-TX25	25	14	350	8.8	10500	293	21000	555
30	840C-030-TX25	25	14	350	10.5	10500	345	21000	660
35	840C-035-TX25	25	7	175	6.1	5250	214	10500	398
40	840C-040-TX25	25	7	175	7.0	5250	240	10500	450
45	840C-045-TX25	25	7	175	7.9	5250	266	10500	503
50	840C-050-TX25	25	7	175	8.8	5250	293	10500	555
55	840C-055-TX25	25	7	175	9.6	5250	319	10500	608
60	840C-060-TX25	25	7	175	10.5	5250	345	10500	660
70	840C-070-TX25	25	5	125	8.8	3750	293	7500	555
80	840C-080-TX25	25	5	125	10.0	3750	330	7500	630
90	840C-090-TX25	25	4	100	9.0	3000	300	6000	570

**TRUCK, MOTORCYCLE & MOTORSPORT**

SIZE g	PART NUMBER	BOX QTY	BOXES PER CARTON	CARTON QUANTITY	CARTON WEIGHT Kg				
<b>Series 810 Tubeless truck over 3.5 tonnes (LEAD)</b>									
50	810X-050-TX10	10	14	140	7.0	4200	240	8400	450
75	810X-075-TX10	10	14	140	10.5	4200	345	8400	660
100	810X-100-TX10	10	14	140	14.0	4200	450	8400	870
150	810X-150-TX10	10	7	70	10.5	2100	345	4200	660
200	810X-200-TX10	10	7	70	14.0	2100	450	4200	870
250	810X-250-TX10	10	5	50	12.5	1500	405	3000	780
300	810X-300-TX10	10	5	50	15.0	1500	480	3000	930
350	810X-350-TX10	10	4	40	14.0	1200	450	2400	870
400	810X-400-TX10	10	4	40	16.0	1200	510	2400	990

<b>SERIES 850 Truck adhesive strips 100g &amp; 200g strips (LEAD)</b>									
200	850X-200-TX10	10	7	70	14.0	2100	450	4200	870

<b>SERIES 680 Truck adhesive strips 100g &amp; 200g strips (STEEL)</b>									
100	680X-100-TX10	10	14	140	14.0	4200	450	8400	870

<b>SERIES 950 Motorcycle 50g strips (LEAD)</b>									
50	950X-050-TX50 7x5g + 6x2.5g	50	5	250	12.5	7500	405	15000	780

<b>SERIES 790 Motorsport Racing weights (Formula 1)</b>									
45	790X-045-TX50	50	5	250	11.3	7500	368	15000	705
60	790X-060-TX50	50	5	250	15.0	7500	480	15000	930
90	790X-090-TX50	50	4	200	18.0	6000	570	12000	1110

**ASSORTMENT BOXES - PLEASE SEE WEB PAGE FOR DETAILS**

**Box quantity tolerances:-**

100 pieces +/- 2%  
 50 pieces +/- 1%  
 less than 50 pieces +/- 0